

Wheelchairs

| | |
|--|-----------|
| Days® Aluminium Wheelchairs | 680 - 685 |
| Days® Steel Wheelchairs | 686 - 693 |
| Wheelchair Clothing | 694 - 695 |
| Scooter & Powerchair Clothing | 696 - 697 |
| Wheelchair & Scooter Bags | 698 - 699 |
| Wheelchair Accessories & Wheelchair Gloves | 700 - 701 |
| Channel Ramps | 702 - 704 |
| Folding Ramps | 705 - 708 |
| Broad Ramps | 709 - 710 |
| Threshold Ramps | 711 - 712 |

Great value for occasional usage

NEW
COLOURS

BEST
SELLER



Days Escape Lite Self-Propelled

Ideal for occasional use

With an extremely lightweight and foldable aluminium frame, the Escape Lite has been specially designed for ease of transportation and storage, making it an ideal chair for occasional use. Suitable for both indoors and out, it gives you flexibility wherever you go. With two seat widths and four colour options, whatever your style or preference, there's an Escape Lite available for you.

The light way to escape

In addition to being lightweight, these self-propelled chairs offer both comfort and practicality. With a full-length armrest, padded upholstery and detachable swing-away footrests, they provide all the basic comfort necessities. Peace of mind and low maintenance are provided by the puncture-proof tyres.

Key features

- Introducing Quick Release MAG Wheels
- All the same features and benefits as the Best Selling Escape Lite Attendant Wheelchair
- Supplied with attendant & user brakes

Specifications

| | |
|--------------------------------|--|
| Seat Width | Narrow: 41cm (16"), Standard: 46cm (18"), Wide: 51cm (20") |
| Seat Depth | 41cm (16") |
| Seat Height (Front) | 51.5cm (20¼") |
| Seat Height (Rear) | 49.5cm (19½") |
| Backrest Height Above Seat | 40cm (15¾") |
| Armrest Height Above Seat | 23cm (9") |
| Footrest Length | 39-49cm (15"-19") |
| External Width (Open) | Narrow: 62cm (24"), Standard: 64.5cm (25"), Wide: 69cm (27") |
| External Width (Closed) | 31cm (12¼") |
| External Depth (w/o Footrests) | 80cm (31½") |
| External Length (w Footrests) | 106cm (41½") |
| External Height | 94cm |
| Chair Weight | 15.5kg |
| Chair Weight (w/o Footrests) | 14kg |




Slowing
and Parking
Brake




120
kg
18¾
st
Maximum
User Weight




1
Year
Product
Warranty



2
Year
Main Frame
Warranty




Self
Propelled




Racing
Green




Silver
Blue



Purple



Racing
Red



Racing
Green

| Specifications | | | |
|----------------|-----------|---------|--------------|
| Narrow | Standard | Wide | Colour |
| 091566280 | 091566249 | 7500091 | Silver Blue |
| 091566314 | 091566272 | 7500092 | Purple |
| 091566298 | 091566256 | - | Ruby Red |
| 091566306 | 091566264 | - | Racing Green |

Great value for occasional usage

Days Escape Lite Attendant

Ideal for occasional use

With an extremely lightweight and foldable aluminium frame, the Escape Lite has been specially designed for ease of transportation and storage, making it an ideal chair for occasional use. Suitable for both indoors and out, it gives you flexibility wherever you go. With three seat widths and four colour options, whatever your style or preference, there's an Escape Lite available for you.

The light way to escape



In addition to being lightweight, these attendant-propelled chairs offer both comfort and practicality. With a full-length armrest, padded upholstery and detachable swing-away footrests, they provide all the basic comfort necessities. Peace of mind and low maintenance are provided by the puncture-proof tyres.

Key features

- Ultra lightweight
- Folding frame and backrest for compact storage
- Generously padded flame retardant upholstery
- Choice of seat widths
- Puncture-proof tyres
- Full length armrest
- Attendant-operated cable brakes
- Swing-away and detachable footplates
- Seat belt included

Specifications

| | |
|--------------------------------|---|
| Seat Width | Narrow: 41cm (16"), Standard: 46cm (18"), Wide: 51cm (18") |
| Seat Depth | 41cm (16") |
| Seat Height (Front) | 51.5cm (20¼") |
| Seat Height (Rear) | 49.5cm (19½") |
| Width Between Arms | Narrow: 38cm (15"), Standard: 41cm (16"), Wide: 48cm (19") |
| Backrest Height Above Seat | 40cm (15¾") |
| Footrest Length | 39-49cm (15-19") |
| Armrest Height Above Seat | 23cm (9") |
| External Width (Open) | Narrow: 52cm (20½"), Standard: 53cm (21"), Wide: 56cm (22") |
| External Width (Closed) | 23cm (9") |
| External Depth (w/o Footrests) | 75cm (29½") |
| External Depth (w Footrests) | 99.5cm (39") |
| Chair Weight | 12kg (26lb) |
| Chair Weight (w/o Footrests) | 10.5kg (23lb) |



| Specifications | | | |
|----------------|-----------|-----------|--------------|
| Narrow | Standard | Wide | Colour |
| 091311521 | 091171727 | 091556588 | Silver Blue |
| 091547561 | 091547579 | 091556604 | Purple |
| 091556901 | 091556893 | 091556596 | Ruby Red |
| 091555481 | 091555473 | 091556612 | Racing Green |


Days Swift


Designed for occasional usage

Available in Self-propelled and Attendant



115 kg
18 st
Maximum User Weight


Self Propelled


Attendant Propelled

1 Year
Product Warranty

2 Year
Main Frame Warranty

2
Choices of seat width

| Specifications | | | | |
|----------------|------------|------------|------------|-------------|
| Self-Propelled | | Attendant | | Colour |
| 41cm (16") | 46cm (18") | 41cm (16") | 46cm (18") | |
| 091186659 | 091186683 | 091186618 | 091186626 | Cool Silver |
| 091555531 | 091555556 | 091555499 | 091555515 | Turquoise |
| 091555549 | 091555564 | 091555507 | 091555523 | Burgundy |

Days Swift

Compact and agile

The Swift wheelchair is a firm favourite due to its versatility and ease of use. With a high quality aluminium frame for strength and at a low weight, it folds easily and can be quickly disassembled without the need for tools, making transportation and storage simple. Compact and manoeuvrable, the Swift makes light work of negotiating shops, restaurants and other tight spaces. When folded, it takes up very little room.

Comfortable yet practical


Designed principally for occasional use but with well-padded upholstery for comfort, a half-folding back, enabling convenient reaching and puncture-proof tyres which help ensure trouble-free mobility. With a choice of self-propelled or attendant-propelled chairs and two seat width options, there's sure to be a Swift wheelchair to suit your requirements.

Key features

- Designed for indoor or outdoor occasional use
- Lightweight aluminium frame, which easily folds and dismantles without tools
- Fixed mid-length armrests
- Available as self-propelled or attendant-propelled with cable brakes
- Compact design makes it very easy to use indoors
- Choice of two seat widths and padded upholstery as standard
- Robust puncture-proof tyres ensure low maintenance for outdoor use
- Quick-release removable wheels on the self-propelled chairs guarantee portability
- Half-folding back for compact storage

Specifications

| | | |
|--------------------------------|------------------------|----------------------------|
| Seat Width | 41cm (16"), 46cm (18") | |
| Seat Depth | 42cm (16.5") | |
| Seat Height (Front) | 51cm (20") | |
| Seat Height (Rear) | 48.5cm (19") | |
| Backrest Height Above Seat | 40cm (15¾") | |
| Footrest Length | 44 - 54cm (17¼ - 21¼") | |
| Armrest Height Above Seat | 23cm (9") | |
| | Self-Propelled | Attendant Propelled |
| External Width (Open) | 62cm (24"), 67cm (26") | 57cm (22½"), 62cm (24½") |
| External Width (Closed) | 28cm (11") | 24cm (9½") |
| External Depth (w/o Footrests) | 83cm (32¾") | 75cm (29½") |
| External Depth (w Footrests) | 113cm (44½") | 107cm (42") |
| Chair Weight | 12.5kg (27.5lb) | 11.5kg (25.3lb) |
| Chair Weight (w/o Footrests) | 11.2kg (24.7lb) | 10.2kg (22.4lb) |



Days Link

Designed to adapt to you - Perfect for full-time use




Available in Self-propelled and Attendant



Superb adaptability

The Link is suitable for full-time use and is designed for maximum practicality. In addition to six seating widths, key features include a height adjustable backrest for tailored support and tension adjustable upholstery for comfort.

To enable easier side transfer, the Link is fitted with swing-back and detachable armrests. The footrests have a heel strap for support and can be swung internally or externally for access. You may also wish to add optional extras, such as height adjustable armrests or elevating leg rests complete with angle adjustable footplates for maximum comfort.



Specifications

| Self-Propelled | Attendant | Seat Width |
|----------------|-----------|------------|
| 091440080 | 091440163 | 36cm (14") |
| 091440106 | 091440189 | 38cm (15") |
| 091440270 | 091440213 | 41cm (16") |
| 091440288 | 091440221 | 43cm (17") |
| 091440296 | 091440239 | 46cm (18") |
| 091440304 | 091440247 | 48cm (19") |

Days Link

Key features

- Available as self-propelled or attendant-propelled
- Suitable for full-time use with a choice of six different seat widths
- Features include a height adjustable backrest, a half-folding back, swing-back and detachable armrests, a heel strap and fixed angle footplates
- Puncture-proof tyres for peace of mind
- Rear anti-tippers for safety on slopes or uneven ground
- Multi-adjustable rear wheel position to enable you to change the seat angle for comfort, or make the chair more efficient and agile
- Removable quick-release rear wheels
- Passes ISO 7176 part 19
- Optional extras available, including height adjustable armrests, elevating leg rests and amputee support

Specifications

| | | |
|--------------------------------|--|----------------------------|
| Seat Width | 36cm (14"), 38cm (15"), 41cm (16"), 43cm (17"), 46cm (18"), 48cm (19") | |
| Seat Depth | 43cm (17") | |
| Seat Height (Front) | 50.5cm (20") | |
| Seat Height (Rear) | 47.5 - 51.5cm (18 ¾" - 20 ¼") | |
| Backrest Height Above Seat | 40.5 - 45.5cm (15 ¾" - 16 ¾") | |
| Footrest Length | 40 - 48cm (15 ¾" - 19") | |
| Armrest Height Above Seat | 25cm (10") | |
| External Depth (w/o Footrests) | 77cm (30 ¼") | |
| External Depth (w Footrests) | 104cm (41") | |
| | Self-Propelled | Attendant-Propelled |
| External Width (Open) | Seat Width + 18cm (7 ¼") | Seat Width + 14cm (5 ½") |
| External Width (Closed) | 34cm (13 ½") | 30cm (11 ¾") |
| Chair Weight | 16.6kg (36.5lb) | 15kg (33lb) |
| Chair Weight (w/o Footrests) | 15.2kg (33.4lb) | 13.6kg (29.9lb) |



Swing In or Out Leg Rests



Swing-back Detachable Arms for Easier Side Transfer



Tension Adjustable Backrest for Comfort



Optional Extras
Height Adjustable Armrests



Elevating Leg Rests



Amputee Support

Available Colours

Cool Silver

Optional Extras

Height Adjustable Armrests
091458223 Left
091458231 Right

Elevating Leg Rests
091458611 Left
091458637 Right

Amputee Support
091458629 Left
091458645 Right

Days Whirl






Ideal for part or full-time use

Available in Self-propelled and Attendant



Ultra Versatile

With a choice of four seat widths, the Whirl is designed to be a simple yet versatile wheelchair ideal for part or full-time use. The Whirl is available as attendant or self-propelled and has a detachable half-folding backrest making the chair more compact for storage.



| Specifications | | |
|----------------|-----------|----------------|
| Self-Propelled | Attendant | Seat Width |
| 091440270 | 091440346 | 41cm (16") |
| 091440288 | 091440361 | 43cm (17") |
| 091440296 | 091440379 | 45cm (17 3/4") |
| 091440304 | 091440395 | 48cm (19") |

Days Whirl

Reliability Indoors and Out

The Whirl's narrow frame and compact dimensions ensure great manoeuvrability indoors and in confined spaces. Its puncture-proof tyres, in contrast, provide extra peace of mind outdoors.

Key features

- Available as attendant-propelled or self-propelled
- Choice of four seat widths
- Designed to be a simple, yet versatile wheelchair for part or full-time use
- Great manoeuvrability in confined spaces
- Fully padded upholstery for comfort
- Detachable half-folding backrest enables compact storage
- Robust steel frame for durability
- Removable desk armrests to enable closer access to tables and worktops
- Removable quick-release rear wheels on the self-propelled increases portability
- Puncture-proof tyres for long term reliability
- Passes ISO 7176 part 19

Specifications

| | | |
|--------------------------------|---|----------------------------|
| Seat Width | 41cm (16"), 43cm (17"), 45cm (17¾"), 48cm (19") | |
| Seat Depth | 42cm (16½") | |
| Seat Height (Front) | 51cm (20") | |
| Seat Height (Rear) | 48cm (19") | |
| Backrest Height Above Seat | 43cm (17") | |
| Footrest Length | 43.5 - 50cm (17¼ - 19½") | |
| Armrest Height Above Seat | 23cm (9") | |
| | Self-Propelled | Attendant-Propelled |
| External Width (Open) | Seat Width + 20cm (7¾"), | Seat Width + 16cm (6¼") |
| External Width (Closed) | 29cm (11½") | 25cm (9¾") |
| External Depth (w/o Footrests) | 80cm (31½") | 70cm (27½") |
| External Depth (w Footrests) | 105cm (41¼") | 95cm (37½") |
| Chair Weight | 17kg (37.4lb) | 15.4kg (33.9lb) |
| Chair Weight (w/o Footrests) | 15kg (33lb) | 13.4kg (29.5lb) |

Removable Armrests for Easier Side Transfer

Height Adjustable Swing-away Footrests

Easy to Dismantle for Storage or Transport

Optional Elevating Leg Rests

Available Colours

Silver

Optional Extras

Anti-Tippers with Wheels : Elevating Leg Rests
 091467687 : 091467729 Left
 : 091467760 Right

Days Chrome Plated

Designed for strength and durability

Available in Self-propelled and Attendant







Robust and Resilient

Designed for strength and durability, this quality range of wheelchairs are manufactured from heavy gauge steel and have an attractive scratch-resistant chrome finish. The embossed vinyl upholstery is hard-wearing and easy to wipe clean. Puncture-proof tyres ensure low maintenance, yet deliver a smooth ride over the majority of surfaces.

Available Colours

Chrome



Specifications

| | Self-Propelled | Attendant | Back Option |
|-------------------------------|------------------|------------------|--------------|
| Standard 46cm (18") | 091439330 | 091539535 | Fixed Back |
| | 091439132 | 091539550 | Folding Back |
| Narrow 41cm (16") | 091439223 | 091552769 | Fixed Back |
| | 091439173 | 091439959 | Folding Back |

Days Chrome Plated

Options for Adaptability

Supplied as standard with padded full length arms for comfort and support, desk length arms can be added to enable easier access to tables and worktops. The height adjustable, swing-away and removable footrests come complete with a calf strap and can be easily replaced with multi-adjustable elevating leg rests.

Key features

- Available in a choice of two seat widths
- Detachable swing-away armrests and footrests
- Folds easily for storage and transport
- Moulded armrests for extra comfort
- Chrome plated steel frame for durability
- Stainless steel skirt guards
- Wipe clean padded seat fabric
- Available with fixed or folding backrest options
- Optional elevating leg rests, desk arms and adjustable I.V. pole

Specifications

| | | |
|--------------------------------|---|----------------------------|
| Seat Width | Narrow: 41cm (16"), Standard: 46cm (18") | |
| Seat Depth | 41cm (16") | |
| Seat Height (Front) | 51cm (20") | |
| Seat Height (Rear) | 47cm (18½") | |
| Backrest Height Above Seat | 41cm (16") | |
| Footrest Length | 38 - 53cm (15 - 21") | |
| Armrest Height Above Seat | 25cm (9¾") | |
| | Self-Propelled | Attendant-Propelled |
| External Width (Open) | 62cm (21½"), 67cm (26¼") | 58cm (22¾"), 63cm (24¾") |
| External Width (Closed) | 30cm (11¾") | 26cm (10¼") |
| External Depth (w/o Footrests) | 80cm (31½") | 73cm (28¾") |
| External Depth (w Footrests) | 105cm (41¼") | 95cm (37½") |
| Chair Weight | 20kg (44lb) | 17kg (37.4lb) |
| Chair Weight (w/o Footrests) | 18kg (39.6lb) | 15kg (33lb) |



Compact Fold for Portability



Swing-away Removable Arms



Optional Elevating Leg Rests



Optional Desk Arms

Optional Extras

Elevating Leg Rests
091444439
 To Suit Standard
091495761
 To Suit Narrow

Adjustable I.V. Pole
091495845
Amputee Support
091495704 Pair

Cast Support
091495829 Left

Days Heavy Duty

Designed for strength and durability

Available in Self-propelled and Attendant




Solid, Rugged Construction


With two generous seat widths, double crossbar frame and reinforced, double-thickness upholstery, our heavy duty wheelchairs are suitable for a comprehensive selection of users. Manufactured from heavy gauge steel they have an attractive scratch-resistant chrome finish to ensure long term durability.

Available Colours


Chrome



Self-Propelled



Attendant-Propelled




Crash Tested



140 kg
22 st
Maximum User Weight



1 Year
Product Warranty



2 Year
Main Frame Warranty



2
Choices of seat width

Specifications

| | Self-Propelled | Back Options | Attendant |
|------------|------------------|--------------|------------------|
| 51cm (20") | | Fixed Back | - |
| Wide | 091356674 | Folding Back | 091227412 |
| 56cm (22") | | Back Options | Attendant |
| Extra Wide | 091439280 | Fixed Back | 091227420 |

Days Heavy Duty

Reliability, Indoors and Out

Puncture-proof tyres ensure low maintenance, yet deliver a smooth ride over the majority of surfaces. The height adjustable, swing-away and removable footrests come complete with a calf strap and rubberised foot plates for safety.

Key features

- Wide and Extra Wide seat available
- Manufactured from heavy gauge, chrome plated, steel tubing
- Double crossbar and wide tyres for extra strength
- Reinforced double thickness upholstery
- Detachable, swing-away armrests and height adjustable footrests
- Folding for easy storage and transport
- Moulded armrests for extra comfort
- Stainless steel skirt guards
- Wipe clean padded seat fabric
- Folding back option on the standard width
- Optional elevating leg rests, desk arms and adjustable I.V. pole

Specifications

| | | |
|--------------------------------|---|--|
| Seat Width | Wide: 51cm (20"), Extra Wide: 56cm (22") | |
| Seat Depth | 41cm (16") | |
| Seat Height (Front) | 52cm (20½") | |
| Seat Height (Rear) | 47cm (18½") | |
| Backrest Height Above Seat | 41cm (16") | |
| Footrest Length | 40 - 53cm (16 - 21") | |
| Armrest Height Above Seat | 25cm (9¾") | |
| External Width (Open) | Wide: 68cm (26¾"), Extra Wide: 73cm (28¾") | |
| External Width (Closed) | 30cm (11¾") | |
| External Depth (w/o Footrests) | Self-Propelled 82cm (32¼") | Attendant-Propelled 75cm (29½") |
| External Depth (w Footrests) | 107cm (42") | 100cm (39½") |
| Chair Weight | 25kg (55lb) | 23kg (50.6lb) |
| Chair Weight (w/o Footrests) | 23kg (50.6lb) | 21kg (46.2lb) |

Folding Back Option on Standard Width

Compact Fold for Portability

Optional Adjustable I.V. Pole



Optional Extras

Elevating Leg Rests
091444439
To Suit Heavy Duty chairs

Amputee Support
091495894 Right

Cast Support
091495829 Left

Adjustable I.V. Pole
091495845

Designed for hospitals & clinics



Fully Reclines



Compact Fold for Portability


Available Colours

Chrome

115 kg
18 st
Maximum User Weight

1 Year
Product Warranty

2 Year
Main Frame Warranty


Self Propelled

Days Fully Reclining

Fully Reclining for Increased Comfort

With a hydraulic recline mechanism to support the weight, the backrest on these wheelchairs can be reclined with infinite adjustment from vertical to horizontal. A detachable head support ensures comfort at any angle. The variation in angle provides the user with a change in orientation, enabling redistribution of pressure, thus increasing comfort, sitting tolerance and reducing the risk of pressure sores.

Quality and Security

Self-propelling wheels, set back towards the rear of the frame help prevent tipping, improving safety in conjunction with the rear anti-tippers. With a chrome-plated steel frame, stainless steel skirt guards and wipe-clean seat fabric the chairs are durable and ongoing maintenance is kept to a minimum. The armrests and elevating leg rests are both detachable and the whole unit folds easily for storage and transportation.

Key features

- Reclines from upright to horizontal position
- Detachable armrests
- Detachable elevating leg rests
- Removable head support
- Folds for easy storage and transport
- Moulded armrests for extra comfort
- Chrome plated steel frame
- Stainless steel skirt guards
- Wipe clean seat fabric

Specifications

| | |
|--------------------------------|---|
| Seat Width | Narrow: 41cm (16"), Standard: 46cm (18") |
| Seat Depth | 43cm (17") |
| Seat Height (Front) | 51cm (20") |
| Seat Height (Rear) | 47cm (18½") |
| Backrest Height Above Seat | 54cm (22¼") |
| Footrest Length | 40 - 53cm (15¾ - 21") |
| Armrest Height Above Seat | 25cm (9¾") |
| External Width (Open) | Narrow: 61cm (24"), Standard: 66cm (26") |
| External Width (Closed) | 27cm (10½") |
| External Depth (w/o Footrests) | 91cm (35¾") |
| External Depth (w Footrests) | 125cm (49¼") |
| Chair Weight | 28kg (61.6lb) |
| Chair Weight (w/o Footrests) | 24kg (52.8lb) |

Specifications

| | |
|------------------|-----------------------------|
| 091227644 | Standard Width - 46cm (18") |
| 091439868 | Narrow Width - 41cm (16") |

Days Fixed Transport

Durable and Easy to Maintain

Designed for strength and durability, these quality wheelchairs are manufactured from heavy gauge steel and have an attractive scratch-resistant chrome finish. The embossed vinyl upholstery is hard-wearing and easy to wipe clean. Puncture-proof tyres ensure low maintenance, yet deliver a smooth ride over the majority of surfaces.

Worry Free

With fixed armrests, leg rests and a fixed back, all parts of these chairs remain intact on the main unit, ensuring no parts go missing, therefore making them particularly suitable in locations with multiple users.

Key features

- Standard 46cm (18 Seat Width)
- Standard fixed back
- Fixed armrests
- Fixed swing away footrests
- Folds for easy storage and transport
- Moulded armrests for extra comfort
- Height adjustable leg rests
- Chrome plated steel frame
- Stainless steel skirt guards
- Wipe clean padded upholstery
- Optional adjustable I.V. pole

Specifications




| | | |
|--------------------------------|-----------------------|----------------------------|
| Seat Width | 46cm (18") | |
| Seat Depth | 41cm (16") | |
| Seat Height (Front) | 51cm (20") | |
| Seat Height (Rear) | 47cm (18½") | |
| Backrest Height Above Seat | 41cm (16") | |
| Footrest Length | 38 - 53cm (15 - 21") | |
| Armrest Height Above Seat | 25cm (9¾") | |
| | Self-Propelled | Attendant-Propelled |
| External Width (Open) | 67.5cm (26½") | 63.5cm (25") |
| External Width (Closed) | 28cm (11") | 26cm (10¼") |
| External Depth (w/o Footrests) | 82cm (32¼") | 75cm (29½") |
| External Depth (w Footrests) | 107cm (42") | 100cm (39½") |
| Chair Weight | 19kg (48.3lb) | 15kg (33lb) |
| Chair Weight (w/o Footrests) | 17kg (37.4lb) | 13kg (28.6lb) |

Compact Fold for Portability



Available Colours

Chrome



Specifications

| | |
|-----------|---------------------|
| 091463090 | Self-Propelled |
| 091463108 | Attendant-Propelled |

1



1 Days Wheelchair Cosy

Giving both warmth and comfort, the Wheelchair Cosy is a fleece lined waterproof covering for the lower body. With a back panel for warmth and comfort, the extra large ring pull zip enables easy in-and-out access. Fitting virtually all manual wheelchairs, the Wheelchair Cosy is ideal for use with the Wheelchair Poncho.

091119080 Standard

091169820 Long



2 Days Wheelchair Poncho


Ideal protection from unexpected showers, this waterproof poncho has an easy-pull zip closure and drawstring hood. A practical cover for the top half of the body with extra length at the front for knee protection. Rear vents allow use of the wheelchair's pushing handles. Available lined or un-lined.

091119049 Unlined

091119387 Lined



2



LINED OPTION

3 Days Wheelchair Mac with Sleeves

Seam sealed for total waterproofing, this mac offers complete protection for the wearer and the wheelchair. The knitted cuffs and preventing the fabric from getting wet. Vents at the rear of the mac allow use of the wheelchair's pushing handles and a small pouch at the front provides handy storage. Elasticated all the way around to ensure a snug fit. Available lined or un-lined.

091119411 Standard Lined


091119064 Standard Unlined

091169804 Long Lined

091169846 Long Unlined



3



LINED OPTION

RETAIL PACKAGED

These products are supplied in retail packaging.



1 Days Contoured Wheelchair Shawl

Designed to be as easy to put on as putting a blanket around the shoulders. This shawl has a high collar which can be turned up to protect the neck and ears. The overlapping front ensures that the lower legs are kept warm and the elasticated fastener at the neck keeps out draughts. Length 690mm (27"). Width 1200mm (47"). One size fits most.

091119460



2 Days Deluxe Wheelchair Apron

Lined with quilted cotton for extra warmth, this Wheelchair Apron is totally waterproof. Shaped to fit with an elasticated waist and adjustable length straps to secure the Apron to the chair. The elasticated base ensures a snug fit around the feet.

091119403



3 Days Wheelchair Mac

Complete protection for wearer and their chair, this full-length Mac is made from 100% waterproof fabric. Designed with a zip closure and drawstring hood with spring clip fastening. The elasticated skirt gives a snug, waterproof fit.

091119056 Standard

091169838 Long



1



2



3

RETAIL PACKAGED
These products are supplied in retail packaging.



1 Days Scooter Poncho

Designed with a full length zip, this lined scooter poncho is quick and easy to put on. The knitted cuffs are covered by the ends of the sleeves, giving a smart finish and preventing the fabric from getting wet. A snug fitting hood and neckline zip combine to offer maximum protection and comfort. A small pouch can be used to carry items close to hand. Seams are sealed for maximum waterproof protection.

091118504 Lined
091208198 Unlined



2 Days Universal Scooter Cape

This practical, lightweight cape offers all-round protection for both you and your scooter. The cape is made from waterproof nylon with a chest zip and has a transparent panel so you can see the controls and ensure road users can still see your lights.

091118348



3 Days Scooter Cosy

Protect yourself from the cold and rain with this scooter cosy. The waterproof outer and fleece lining provide warmth and comfort, while the full length zip makes it easy to put on and take off. There are flaps at the bottom so your feet can rest comfortably at either side of the tiller. Ideal for use with the scooter poncho.

091187723



RETAIL PACKAGED
 These products are supplied in retail packaging.



1 Days Scooter Storage Cover

Protect your scooter with this universal storage cover in waterproof rip stop nylon. Elasticated base for tighter fit. Machine washable.

091163799 Small/Medium
091118314 Medium/Large



2 Days Deluxe Scooter Storage Cover

This heavy duty PVC coated cover fits over virtually any scooter. The elasticated cord at the bottom runs smoothly through the eyelets, allowing the user to fit the cover easily without struggling with an elasticated hem. A useful clamp keeps the cord tight and ensures the cover remains securely over the scooter.

Dimensions: 680×1450×1400mm (26¾×57×55")

091118496 Blue



3 Days Powerchair Cape

A waterproof cape designed specifically for electric wheelchairs. Offers maximum protection to the user and the control panel of the chair. The controls remain visible through the clear panels inset into both sides of the cape. A luxury cotton lining provides additional warmth and comfort. The elasticated back fits over the rear of the chair to deflect rain away, whilst the close fitting elasticated design keeps the cover away from the wheels.

091119429



1



2



3



LINING



RETAIL PACKAGED

These products are supplied in retail packaging.



days



days



days



days

1 Days Wheelchair Crutch Bag

A large carry bag designed for both scooter and wheelchairs. The bag has two deep side pouches which can accommodate both walking sticks and crutches. The sticks or crutches should always be reduced to their minimum length for safe carriage. The main compartment has a zipped top for secure, waterproof storage and with 27 litre capacity, is easily large enough to hold clothing or a generous amount of shopping. The rear storage pouch has a cover with hook and loop fastening so that items can be quickly and easily accessed. A reflective strip on the back helps to ensure that you remain visible at night. The bag attaches with adjustable straps to most size of seats, including those with headrests. Max load 7kg. Size 400×450×140mm (16×18×6").

091187699



2 Days Economy Wheelchair Bag

A strong, practical bag that fits over the back of a wheelchair. Made from durable, waterproof nylon, it has a zip top for easy access, carry handles for portability and loops that slip over the pushing handles. Storage capacity of 21 litres gives plenty of room for shopping, books and other items. Maximum safe load 5kg. Size 360×390×150mm (14×15½×6").

091118868



3 Days Deluxe Wheelchair Bag

This stylish and capacious storage bag has several pockets for convenient storage. The main storage compartment is lined and padded offering extra protection for the contents. A zipped internal pocket is ideal for a wallet, purse or other valuable items. Two side pockets allow for storage of small bottles or papers. Maximum safe load 8kg. Size 400×600×150mm (15¼×23½×6").

091187707



4 Days Wheelchair Pannier Bag

This pannier bag offers highly versatile storage for small and large items through a combination of bags and removable pouches. The bag fastens with hook and loop fastening over the armrest of any wheelchair or scooter, and has side fasteners to hold it in place. The outer bag is large enough to store bulky items up to 2kg in weight and has a lid fastened with hook and loop. On the inside of the armrest is a removable zipped pouch where valuables such as money and cards can be securely stored. The pouch also has handy pockets where pens, phones and spectacles can quickly and easily be accessed. The bag is made from washable polyester and is fully waterproof. Max safe load 2kg. Size 330×260×80mm (13×10×3").

091187715



5 Wheelchair Carry Bag

Designed to hang from the handles of rear push wheelchairs, this high quality wheelchair carry bag features two zipped pockets on the front, two net pouches on the sides and a removable 250×180mm (10×7") zip pouch. Dimensions: 415×355×180mm (16¼×14×7"). Handle loops are 125mm (5") long.

091188747

RETAIL PACKAGED
These products are supplied in retail packaging.



1 Days Scooter Bag

Large waterproof storage bag with multi-use storage compartments. Made from hard-wearing waterproof polyester material. Features a large, zipped main storage compartment with a handy, quick access pouch on rear of bag with hook and loop fastener. The side pouch holds two crutches or walking sticks. When possible, adjustable crutches or walking sticks should be reduced to minimum height for safe carriage. Extra large storage capacity of 27 litres. Size 400×450×140mm (16×18×5½").

091187749



2 Days Deluxe Scooter Bag

High quality padded storage bag with four internal and external zipped pockets. Made from waterproof polyester with a padded lining, which provides extra protection. Internal clear zipped pouch for wallet storage. Two rear zipped pockets for flexible storage use. Side pouch holds two crutches or walking sticks. When possible, adjustable crutches or walking sticks should be reduced to minimum height for safe carriage. Extra large storage capacity of 27 litres. Size 400×450×140mm (16×18×5½").

091187756



3 Days Economy Scooter Bag

A sturdy and practical bag with zip top. Secures to the scooter seat with adjustable straps. Made from waterproof nylon. Bag size 370×40×150mm (14½×16×6").

091187731



4 Days Scooter Pannier Bag

This pannier bag offers highly versatile storage for small and large items through a combination of bags and removable pouches. The bag fastens with hook and loop fastening over the armrest of any wheelchair or scooter, and has side fasteners to hold it in place. The outer bag is large enough to store bulky items up to 2kg in weight and has a lid fastened with hook and loop. On the inside of the armrest is a removable zipped pouch where valuables such as money and cards can be securely stored. The pouch also has handy pockets where pens, phones and spectacles can quickly and easily be accessed. The bag is made from washable polyester and is fully waterproof. Max safe load 2kg. Size 330×260×80mm (13×10×3").

091187715



 **RETAIL PACKAGED**
These products are supplied in retail packaging.



1 Homecraft Gel Cushion

Wheelchair users and seated patients are at high risk of developing pressure sores. They need a reliable cushion that will prevent the onset of these sores and where necessary assist in the management of existing sores. This cushion has a carefully designed 'no lump' gel sac with bactericide incorporated into a foam exterior. It assists patient movement and gives excellent stability in use. It reduces interface pressures and provides high conformity giving specific ischial and perineal pressure protection. Covered in a breathable fabric that is waterproof and can be wiped clean. Two way PU coated nylon stretch permanent cover. Size 430×430×80mm (17×17×3¼"). Weight 2.4kg. Suitable for HIGH RISK Pressure care patients.

091091164

Maximum load weight



2 Homecraft Gel Cushion

Development of the original Gel cushion has led to this unique Gel Plus cushion that combines combustion modified high resilient foam with visco elastic heat sensitive foam and silicon gel, to provide the user with the ultimate in comfort. Designed for those wheelchair users or seated patients that are at high risk of developing pressure sores. The cushion cover offers a PU coated 2 way stretch fabric top/side panels and non-slip base with sewn seams and zip opening. Size 430×430×80mm (17×17×3"). Weight 1.5kg. Suitable for HIGH RISK Pressure care patients.

091091164

Maximum load weight



3 Homecraft Gel Cushion

This general purpose cushion is designed for basic pressure relief for wheelchair and seated users. Foam cushion with two way PU coated nylon stretch cover. Size 430×430×80mm (17×17×3¼"). Weight 400g.

091091156

Maximum load weight



5 Homecraft Wheelchair Arm Covers

These simple but effective wheelchair arm covers fit snugly to the chair and give the wheelchair user more comfort. They are easy to attach with hook and loop fastenings and take up little space within the chair. Size 460×70×100mm (18×2¾×4"). Supplied as a pair. Weight 400g per pair.

091091198



6 Homecraft Curved Wheelchair Cushion

Firm crescent shaped foam pad to take sag out of a folding wheelchair seat. Size 432×432×51mm (17×17×2"). Weight 520g.

091091180



1 Super Grip Wheelchair Gloves

The material on the padded palms of the Super Grip Wheelchair Gloves is tested for grip in both wet and fine conditions, ensuring security when propelling. The backing is quality Neoprene and the gloves feature elasticated cuffs that are securely closed with a hook and loop tab. Available as full finger gloves or with a full thumb and open fingers. Note: Designed to work with metal push rims, rubberised rims may cause the palms to tear.

| Full Finger Size | Hand Width |
|--------------------------|------------|
| 091208255 Medium | 83mm (3¼") |
| 091208263 Large | 89mm (3½") |
| 091208271 X-Large | 95mm (3¾") |
| Open Finger Size | Hand Width |
| 091208289 Small | 76mm (3") |
| 091208297 Medium | 83mm (3¼") |
| 091208305 Large | 89mm (3½") |
| 091208313 X-Large | 95mm (3¾") |

2 Leather Wheelchair Gloves

Designed by wheelchair users, for wheelchair users, these gloves are extremely comfortable and durable. The thumb is full length for additional protection and the palm of the glove is padded for extra comfort. Stretchy mesh back and air holes in the back of the thumb prevent the hands from overheating.

| Size | Hand Width |
|--------------------------|------------|
| 091118587 Small | 76mm (3") |
| 091118595 Medium | 83mm (3¼") |
| 091118603 Large | 89mm (3½") |
| 091118611 X-Large | 95mm (3¾") |

3 All Purpose Padded Mesh Wheelchair Gloves

Economic gloves protect wheelchair user's hands from dirt and trauma while improving traction on wheel rims. Half-finger design with padded leather palms and cotton mesh backs. Velcro closures. Machine wash/line dry. 3 month guarantee.

| Size | Hand Circumference |
|--------------------------|--------------------|
| 081173632 Small | 203mm (8") |
| 081173640 Medium | 229mm (9") |
| 081173657 Large | 254mm (10") |
| 081173665 X-Large | 279mm (11") |



1



2



3



1 Days Access Lightweight Telescopic Ramps

These ramps are designed to be lightweight and highly portable. The top of the ramp features two moulded plastic inserts which will locate on the top of a step or rear of a vehicle. The working surface of the ramp is coated in grit for maximum grip and durability. The two part telescopic ramp features a locking device to hold the two parts together at their minimum length to prevent accidental opening during transportation. Supplied as a pair. Internal width 150mm (5³/₄"). External width 190mm (7¹/₂").

| | Length | Weight |
|-----------|--|--------|
| 091119734 | 1500mm (59") | 4.0kg |
| 091119742 | 2000mm (78 ³ / ₄ ") | 5.3kg |

Maximum load weight **300 kg** **47 st**

2 Days Access Lightweight Portable Ramps

These fixed length ramps are lightweight and highly portable. The top of the ramp features two moulded plastic inserts that will locate on the top of a step or rear of a vehicle. The working surface of the ramp is coated in grit for maximum grip and durability. Supplied as a pair. Internal width 150mm (5³/₄"). External width 180mm (7").

| | Length | Weight |
|-----------|--|--------|
| 091119627 | 1000mm (39 ¹ / ₂ ") | 2.5kg |
| 091119643 | 1500mm (59") | 3.8kg |

Maximum load weight **300 kg** **47 st**

Specifications

| Code | Size | Type | No. of Parts | Length Minimum (mm) | Length Maximum (mm) | Width Internal (mm) | Width Maximum (mm) | Weight each kg | Load Maximum kg |
|-----------|---------|------------|--------------|---------------------|---------------------|---------------------|--------------------|----------------|-----------------|
| 091119734 | Channel | Telescopic | 2 | 920 | 1500 | 150 | 190 | 4.0 | 300 |
| 091119742 | Channel | Telescopic | 2 | 1170 | 2000 | 150 | 190 | 5.3 | 300 |
| 091119627 | Channel | Fixed | 1 | 1000 | 1000 | 150 | 180 | 2.5 | 300 |
| 091119643 | Channel | Fixed | 1 | 1500 | 1500 | 150 | 180 | 3.8 | 300 |

1 Days Access Telescopic Two Part Channel Ramps

These ramps, sold in pairs, are made from two nested aluminium extrusions. They produce a strong rigid ramp, which gives a feeling of stability and security to the user. They can be telescoped in and out to give the optimum length and then closed down to their minimum for storage or transport. A spring safety lock holds the sections closed. Internal width 188mm (7½"). External width 245mm (9½").

| | | |
|------------------|---------------|---------------|
| | Length | Weight |
| 091119726 | 1500mm (59") | 6.8kg |

| | | |
|---------------------|---------------|---------------------------------------|
| Maximum load weight | 450 kg | 70³/₄ st |
|---------------------|---------------|---------------------------------------|

| | | |
|------------------|---------------|-------|
| 091119759 | 2000mm (78¾") | 8.7kg |
|------------------|---------------|-------|

| | | |
|---------------------|---------------|---------------------------------------|
| Maximum load weight | 400 kg | 62³/₄ st |
|---------------------|---------------|---------------------------------------|

| | | |
|------------------|---------------|--------|
| 091119775 | 3000mm (118") | 12.6kg |
|------------------|---------------|--------|

| | | |
|---------------------|---------------|--------------|
| Maximum load weight | 350 kg | 55 st |
|---------------------|---------------|--------------|



2 Folding Access Channel Ramp

A pair of lightweight folding channel ramps manufactured from glass reinforced plastic and designed for wheelchair or scooter access. These lightweight ramps are easily handled and fold in half for storage. Finished with a non slip surface and smooth edges to prevent injury or damage. Internal width 203mm (8").

| | | |
|------------------|---------------|---------------|
| | Length | Weight |
| 091120195 | 1830mm (72") | 6.0kg |

| | | |
|---------------------|---------------|---------------------------------------|
| Maximum load weight | 240 kg | 37³/₄ st |
|---------------------|---------------|---------------------------------------|



RETAIL PACKAGED
These products are supplied in retail packaging.

| Specifications | | | | | | | | | |
|----------------|---------|------------|--------------|---------------------|---------------------|---------------------|--------------------|----------------|-----------------|
| Code | Size | Type | No. of Parts | Length Minimum (mm) | Length Maximum (mm) | Width Internal (mm) | Width Maximum (mm) | Weight each kg | Load Maximum kg |
| 091119726 | Channel | Telescopic | 2 | 880 | 1500 | 188 | 245 | 6.8 | 450 |
| 091119759 | Channel | Telescopic | 2 | 1130 | 2000 | 188 | 245 | 8.7 | 400 |
| 091119775 | Channel | Telescopic | 2 | 1630 | 3000 | 188 | 245 | 12.6 | 350 |
| 091120195 | Channel | Folding | 2 | 915 | 1830 | 203 | 292 | 6.0 | 240 |



1 Ultralight-Telescopic™ Channel Ramps

With a silent telescopic mechanism these ramps can be used at any length and have a neat safety clip that prevents opening when stored. Options are available that provide a length of nearly three metres yet are still compact enough to easily store in vehicles. Exceptionally well crafted in anodised aluminium, they offer an outstanding combination of compact storage and ease of use. Available in 2 or 3 sections to suit most storage options. Unique built-in grip surface, fold away handles and a two year warranty.

| | Parts | Length | Weight |
|------------------|-------|--------------|--------|
| 091561737 | 2 | 1200mm (47") | 3.6kg |

| | | |
|---------------------|---------------|---------------------------------------|
| Maximum load weight | 400 kg | 62³/₄ st |
|---------------------|---------------|---------------------------------------|

| | | | |
|------------------|---|----------------|-------|
| 091561745 | 2 | 2020mm (80") | 5.8kg |
| 091561752 | 3 | 2070mm (81.5") | 6.1kg |

| | | |
|---------------------|---------------|--------------|
| Maximum load weight | 300 kg | 47 st |
|---------------------|---------------|--------------|

| | | | |
|------------------|---|---------------|-------|
| 091561760 | 3 | 2880mm (113") | 8.2kg |
|------------------|---|---------------|-------|

| | | |
|---------------------|---------------|---------------------------------------|
| Maximum load weight | 250 kg | 39¹/₄ st |
|---------------------|---------------|---------------------------------------|



| Specifications | | | | | | | | | |
|------------------|---------|------------|--------------|---------------------|---------------------|---------------------|--------------------|----------------|-----------------|
| Code | Size | Type | No. of Parts | Length Minimum (mm) | Length Maximum (mm) | Width Internal (mm) | Width Maximum (mm) | Weight each kg | Load Maximum kg |
| 091561737 | Channel | Telescopic | 2 | 750 | 1200 | 190 | 245 | 3.6 | 400 |
| 091561745 | Channel | Telescopic | 2 | 1170 | 2020 | 190 | 245 | 5.8 | 300 |
| 091561752 | Channel | Telescopic | 3 | 870 | 2070 | 180 | 245 | 6.1 | 300 |
| 091561760 | Channel | Telescopic | 3 | 1170 | 2880 | 180 | 245 | 8.2 | 250 |

1 Days Access Suitcase Ramps

Days Suitcase Ramps are designed for both scooters and wheelchairs. They are double width track ramps offering a wide non-slip driving surface. The two hinged tracks simply unfold and can be positioned accordingly for maximum safety and support. A handle in the centre of each ramp (except 610mm (2ft) version) enables for easier carrying. Platform width 736mm (29").

| | Length | Weight |
|------------------|--------------|--------|
| 091169739 | 610mm (2ft) | 5.0kg |
| 091169762 | 915mm (3ft) | 6.8kg |
| 091169770 | 1220mm (4ft) | 9.5kg |
| 091169788 | 1525mm (5ft) | 11.8kg |
| 091169796 | 1829mm (6ft) | 16.4kg |

Maximum load weight **272 kg** **42³/₄ st**



2 Advantage Series Suitcase Ramps

The Advantage Series Suitcase Ramp, with its single fold design, offers a simple and convenient solution for wheelchairs and scooters to access steps, vehicles, and raised landings with ease. This ultra-strong aluminium ramp provides the safety and strength required while remaining light and portable. The ramp can be separated, making it even easier to use, carry, and store. The ramp features high-quality, slip-resistant tape with yellow safety strips and a self-adjusting bottom transition plate for easy conversion from ramp to ground. Unfolds to a 736mm (29") wide platform.

| | Length | Weight |
|------------------|--------------|--------|
| 091167246 | 915mm (3ft) | 7.3kg |
| 091167253 | 1220mm (4ft) | 9.0kg |
| 091167261 | 1525mm (5ft) | 11.8kg |
| 091167279 | 1829mm (6ft) | 13.6kg |

Maximum load weight **363 kg** **57 st**



RETAIL PACKAGED
These products are supplied in retail packaging.

| Specifications | | | | | | | | | |
|------------------|-------|----------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091169739 | Broad | Suitcase | 1 | 610 | 610 | 736 | 765 | 5.0 | 272 |
| 091169762 | Broad | Suitcase | 1 | 915 | 915 | 736 | 765 | 6.8 | 272 |
| 091169770 | Broad | Suitcase | 1 | 1220 | 1220 | 736 | 765 | 9.5 | 272 |
| 091169788 | Broad | Suitcase | 1 | 1525 | 1525 | 736 | 765 | 11.8 | 272 |
| 091169796 | Broad | Suitcase | 1 | 1829 | 1829 | 736 | 765 | 16.4 | 272 |
| 091167246 | Broad | Suitcase | 2 | 915 | 915 | 736 | 765 | 3.6 | 363 |
| 091167253 | Broad | Suitcase | 2 | 1220 | 1220 | 736 | 765 | 4.5 | 363 |
| 091167261 | Broad | Suitcase | 2 | 1525 | 1525 | 736 | 765 | 5.9 | 363 |
| 091167279 | Broad | Suitcase | 2 | 1829 | 1829 | 736 | 765 | 6.8 | 363 |



1 Advantage Series TriFold Ramps

These ramps have a unique 3-fold design and provide easy access steps, vehicles, and raised landings. They can be used and carried as a set, or if desired, can be quickly separated into two lightweight sections, each with their own carrying handle. The durable hinge with interlocking brackets provides smoother operation and reduced pinch points. These portable ramps feature a high-quality, slip-resistant surface with yellow safety strips and a self-adjusting bottom transition plate for easy conversion from ramp to ground. Manufactured from welded aircraft-grade aluminium. Unfolds to a 736mm (29") wide platform. External width 756mm (30").

| | Length | Weight |
|------------------|---------------|--------|
| 091120013 | 1829mm (6ft) | 13.6kg |
| 091120120 | 2134mm (7ft) | 15.9kg |
| 091120039 | 2438mm (8ft) | 20.5kg |
| 091120088 | 3048mm (10ft) | 25.0kg |

Maximum load weight

| | |
|------------------|-----------------|
| 318 kg | 50 st |
|------------------|-----------------|

| Specifications | | | | | | | | | |
|------------------|-------|----------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091120013 | Broad | Suitcase | 1 | 1016 | 1829 | 737 | 756 | 13.6 | 318 |
| 091120120 | Broad | Suitcase | 1 | 1168 | 2134 | 737 | 756 | 15.9 | 318 |
| 091120039 | Broad | Suitcase | 1 | 1422 | 2438 | 737 | 756 | 20.5 | 318 |
| 091120088 | Broad | Suitcase | 1 | 1702 | 3048 | 737 | 756 | 25.0 | 318 |

1 Aerolight-Xtra™ Suitcase Ramps

Quick and easy to deploy, the Aerolight-Xtra is an all-round winner in real life situations. For convenience, these ramps fold to enable compact storage – they also clip together when folded. A contrasting colour edge strip increases visibility. The ramps are coated with a full width anti-slip surface, which is fully concealed when carrying and storing for safety. Easy to carry and deploy, the full length hinge gives incredible strength.

| | Length | Weight |
|------------------|--------------|--------|
| 091562354 | 1200mm (4ft) | 9kg |
| 091562362 | 1500mm (5ft) | 11kg |
| 091562370 | 1800mm (6ft) | 13kg |


Maximum load weight **350 kg** **55 st**

2 Lightweight GRP Split Ramp

This split broad ramp has been designed for ease of handling, to be quickly located and to be easily folded away for storage. It splits into two halves, which also fold in half across the middle. They quickly fit together to provide a secure ramp for use with all types of wheelchairs and scooters. Made from glass reinforced plastic with an effective slip resistant coating. Colour may vary.

| | Length | Width | Weight |
|------------------|--------------|-------------|--------|
| 091208206 | 1830mm (72") | 690mm (28") | 14kg |
| 091208214 | 1830mm (72") | 840mm (33") | 16kg |

Maximum load weight **240 kg** **37^{3/4} st**



| Specifications | | | | | | | | | |
|------------------|-------|----------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091562354 | Broad | Suitcase | 1 | 1300 | 1300 | 750 | 760 | 9 | 350 |
| 091562362 | Broad | Suitcase | 1 | 1500 | 1500 | 750 | 760 | 11 | 350 |
| 091562370 | Broad | Suitcase | 1 | 1800 | 1800 | 750 | 760 | 13 | 350 |
| 091208206 | Broad | Suitcase | 2 | 1830 | 1830 | 622 | 690 | 14 | 240 |
| 091208214 | Broad | Suitcase | 2 | 1830 | 1830 | 760 | 840 | 16 | 240 |

1



1 Lightweight GRP Mid-fold Ramps

This portable access ramp is specially designed for use with three wheel scooters and is also ideal for transporting wheelchairs into vehicles, as well as a variety of other access situations. Lightweight and portable, it folds in half for easy storage. Can also be used for permanent installations. Manufactured from non-corrosive glass reinforced plastic with a contrasting coloured non-slip surface.

| | Length | Width | Weight |
|------------------|--------------|-------------|--------|
| 091562438 | 1500mm (60") | 710mm (28") | 11kg |
| 091119536 | 1800mm (72") | 710mm (28") | 13kg |
| 091562446 | 1800mm (72") | 812mm (32") | 14kg |

Maximum load weight **240 kg** **37³/₄ st**



1



| Specifications | | | | | | | | | |
|------------------|-------|---------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091562438 | Broad | Folding | 1 | 765 | 1500 | 622 | 710 | 11 | 240 |
| 091119536 | Broad | Folding | 1 | 915 | 1800 | 622 | 710 | 13 | 240 |
| 091562446 | Broad | Folding | 1 | 915 | 1800 | 710 | 812 | 14 | 240 |



1 Days Access Fixed Length Broad Ramps

This fixed length broad ramp is designed to take the whole of the scooter or wheelchair. It is especially suitable for three-wheeled scooters, which cannot be accommodated on channel ramps. Wheelchair attendants may find it easier to push users up and down this type of ramp as they can walk on it behind the chair. The top end has an angled lip with ribbed rubber underneath for extra grip on the landing surface. It also features pre-drilled holes should permanent fixing be required. The side parapets help to prevent the wheelchair or scooter from coming off the ramp. The 700mm (27½") wide platform has a gritted coating for extra safety. External width 765mm (30"). Weight 10.7kg.

| | Length | Weight |
|------------------|--------------|--------|
| 091167741 | 610mm (24") | 7.8kg |
| 091119940 | 1000mm (39") | 10.7kg |



Maximum load weight **400 kg** **62³/₄ st**

2 Days Access Telescopic Broad Ramps

These ramps are similar to the fixed length broad ramp above but constructed from two nested telescoping sections. This allows a longer length to be spanned with adjustability to suit the user's requirement. When at their minimum length, they are held closed by a safety catch, which prevents them from moving during transportation and storage. Platform width 700mm (27½"). External width 765mm (30").

| | Maximum Length | Weight |
|------------------|----------------|--------|
| 091119965 | 2000mm (79") | 30kg |
| 091119981 | 3000mm (118") | 43kg |

Maximum load weight **300 kg** **47 st**



RETAIL PACKAGED
These products are supplied in retail packaging.

| Specifications | | | | | | | | | |
|------------------|-------|------------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091167741 | Broad | Fixed | 1 | 610 | 610 | 700 | 766 | 7.8 | 400 |
| 091119940 | Broad | Fixed | 1 | 1000 | 1000 | 700 | 766 | 10.7 | 400 |
| 091119965 | Broad | Telescopic | 2 | 1130 | 2000 | 700 | 808 | 30.0 | 300 |
| 091119981 | Broad | Telescopic | 2 | 1630 | 3000 | 700 | 808 | 43.0 | 300 |

1



1 Days Access Roll-Up Ramps

The Days Roll-Up Ramp is lightweight and portable. Its compact design allows it to be rolled up for transport, but it can be set up in seconds. It has a durable non-slip surface and side rails that act as a bumper guide for increased safety and security.

| | Length | Width | Weight |
|------------------|--------------|-------------|--------|
| 091170893 | 915mm (3ft) | 765mm (30") | 7.7kg |
| 091170901 | 1525mm (5ft) | 765mm (30") | 12.8kg |

Maximum load weight **273 kg** **43 st**



1



RETAIL PACKAGED
These products are supplied in retail packaging.

| Specifications | | | | | | | | | |
|------------------|-------|---------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091170893 | Broad | Roll Up | 3 | 915 | 915 | 766 | 774 | 7.7 | 273 |
| 091170901 | Broad | Roll Up | 3 | 1525 | 1525 | 766 | 774 | 12.8 | 273 |

1 Modular Threshold Ramp Kits

Portable modular ramps that are versatile enough to solve a variety of problems. Quick and easy to install, the kits have a width of 750mm (29½") and can overcome thresholds up to 150mm (6"). Designed with a safe working load of 1 ton per square inch. Lightweight, they can be installed as a temporary or permanent solution.

| | Height | Length |
|------------------|-------------------|---------------|
| 091167311 | Up to 42mm (1½") | 250mm (10") |
| 091167329 | Up to 75mm (3") | 500mm (20") |
| 091167337 | Up to 114mm (4½") | 750mm (29½") |
| 091167345 | Up to 152mm (6") | 1000mm (39½") |

2 Adjustable Threshold Ramps

An extremely versatile threshold ramp, supplied in sections, which may be fitted together with each section giving a 25mm (1") raise. Simply slide the sections together to achieve the height required, then slide the lip onto the last section. May be fixed into place via two holes in the lip. Width 864mm (34").

| | Parts | Length | Maximum Height | Maximum Weight |
|------------------|-------|-------------|----------------|----------------|
| 091120153 | 2 | 304mm (12") | 51mm (2") | 2.5kg |
| 091120161 | 2 | 432mm (17") | 76mm (3") | 3.6kg |

Maximum load weight

318
kg

49^{3/4}
st

3 Lightweight GRP Threshold Ramps


Designed to overcome the majority of wooden/UPVC door frames allowing the door to open and close when in position. Max clearance 76mm (3"). Length 450mm (17¾"). Width 760mm (30"). Weight 2.0kg.

| | Height | Weight |
|------------------|------------|--------|
| 091120203 | 75mm (3") | 4kg |
| 091554831 | 100mm (4") | 4kg |
| 091554849 | 125mm (5") | 4kg |
| 091554856 | 150mm (6") | 8kg |

Maximum load weight

240
kg

37^{3/4}
st



| Specifications | | | | | | | | | |
|------------------|-------|-----------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091167311 | Broad | Threshold | 29 | 250 | 250 | 750 | 750 | 2.0 | N/A |
| 091167329 | Broad | Threshold | 51 | 500 | 500 | 750 | 750 | 2.3 | N/A |
| 091167337 | Broad | Threshold | 60 | 750 | 750 | 750 | 750 | 2.5 | N/A |
| 091167345 | Broad | Threshold | 60 | 1000 | 1000 | 750 | 750 | 2.8 | N/A |
| 091120153 | Broad | Threshold | 2 | 144 | 304 | 864 | 864 | 2.5 | 318 |
| 091120161 | Broad | Threshold | 3 | 144 | 432 | 864 | 864 | 3.6 | 318 |
| 091562784 | Broad | Threshold | 4 | 144 | 565 | 864 | 864 | 5.0 | 318 |
| 091562792 | Broad | Threshold | 5 | 144 | 700 | 864 | 864 | 6.8 | 318 |
| 091120203 | Broad | Threshold | 1 | 457 | 457 | 760 | 781 | 4.0 | 240 |
| 091554831 | Broad | Threshold | 1 | 457 | 457 | 760 | 781 | 4.0 | 240 |
| 091554849 | Broad | Threshold | 1 | 457 | 457 | 760 | 781 | 4.0 | 240 |
| 091554856 | Broad | Threshold | 1 | 914 | 914 | 737 | 820 | 8.0 | 240 |



1 Folding Two Sided Threshold Ramp

This folding threshold ramp is a safe, simple solution to the problem of a raised threshold strip. It folds out to produce a ramp on either side of a small platform, bridging the threshold strip and making it easy to go up, over and down the other side. Folds up neatly and has a useful carry handle at the top so it is easy to transport. Total length 1200mm (47 1/4"). Track width 622mm (24 1/2"). Overall width 660mm (26"). Weight 7kg.

091209022

Maximum load weight

240 kg **37 3/4 st**

2 Doorline-Bridge™

Highly presentable and very practical, these bridge ramps are perfect for overcoming awkward thresholds both internal and external. The anodised aluminium finish prevents stains and corrosion and provides an excellent grip surface. Rubber strips on the underside keep the ramp secure and protect flooring. Extremely lightweight and very quick to deploy with unique comfort carrying holes.

| | Clearance | Weight |
|-----------|---------------|--------|
| 091562883 | 40mm (1 1/2") | 3.3kg |
| 091562891 | 60mm (2 1/4") | 4.0kg |
| 091562909 | 80mm (3 1/4") | 6.8kg |
| 091562925 | 100mm (4") | 8.4kg |

Maximum load weight

300 kg **47 st**



| Specifications | | | | | | | | | |
|----------------|-------|-----------|--------------|-----------------|-----------------|---------------------|----------------|----------------|-------------|
| Code | Size | Type | No. of Parts | Length Min (mm) | Length Max (mm) | Width Internal (mm) | Width Max (mm) | Weight Each kg | Load Max kg |
| 091209022 | Broad | Threshold | 1 | 540 | 1220 | 622 | 660 | 7.0 | 240 |
| 091563196 | Broad | Threshold | 1 | 900 | 900 | 884 | 914 | 7.0 | 318 |
| 091562883 | Broad | Threshold | 1 | 560 | 560 | 700 | 700 | 3.3 | 300 |
| 091562891 | Broad | Threshold | 1 | 600 | 600 | 700 | 700 | 4.0 | 300 |
| 091562909 | Broad | Threshold | 1 | 810 | 810 | 700 | 700 | 6.8 | 300 |
| 091562925 | Broad | Threshold | 1 | 1000 | 1000 | 700 | 700 | 8.4 | 300 |